

SCHWEIZER AIRCRAFT CORP.

Supplement to the FAA Approved
Rotorcraft Flight Manual

For

Schweizer 300CB Helicopter
Model 269C-1

with an

ENGINE OVERSPEED INSTALLATION
Part Number 269A4997-1

Date of Original Approval: 01 Dec 1995

Revision #1
Approved By:

MAR 13 1997


Michele Maurer,
Manager, Systems and Flight Test
Branch, NYACO, ANE-172

SCHWEIZER MODEL 269C-1 HELICOPTER
CSP-C1-1B

ROTORCRAFT FLIGHT MANUAL SUPPLEMENT
FOR
300CB MODEL 269C-1 HELICOPTERS
WITH AN
ENGINE OVERSPEED INSTALLATION

LOG OF PAGES

PAGE	DATE	PAGE	DATE
1	13 Mar 1997	9	13 Mar 1997
2	13 Mar 1997	10	13 Mar 1997
3	13 Mar 1997		
4	01 Dec 1995		
5	13 Mar 1997		
6	01 Dec 1995		
7	13 Mar 1997		
8	13 Mar 1997		

NOTES

The change bar (**█**) defines the latest Approved changes.
The asterisk (*) indicates not officially approved.

SCHWEIZER MODEL 269C-1 HELICOPTER
CSP-C1-1B

REVISION TABLE

Revision Number	Date	Description
#1	13 Mar 1997	Revised to add caution regarding overspeed limiter usage.

SCHWEIZER MODEL 269C-1 HELICOPTER
CSP-C1-1B

This page is intentionally left blank.

SCHWEIZER MODEL 269C-1 HELICOPTER
CSP-C1-1B

Table of Contents

Section/ Para No.	Title	Page No.
Section I	Introduction and General	7
Section II	Limitations	7
Section III	Emergency and Malfunction Procedures	7
Section IV	Normal Procedures	8
Section V	Performance Data	8
Section VI	Weight & Balance	9
Section VII	Aircraft Handling, Servicing, and Maintenance	9
Section VIII	Additional Operations and Performance Data	9

SCHWEIZER MODEL 269C-1 HELICOPTER
CSP-C1-1B

This page is intentionally left blank.

SCHWEIZER MODEL 269C-1 HELICOPTER
CSP-C1-1B

SECTION I
Introduction and General

This supplement must be attached to the FAA Approved Flight Manual and be kept aboard the aircraft at all times when the aircraft is equipped with the Engine Overspeed Control Installation, Part Number 269A4997-1.

This supplement contains the limitations and normal operating procedures for the Engine Overspeed Control Installation. When operating in accordance with this supplement, these limitations and operating procedures are in addition to, or in place of, those contained in the basic FAA Approved Flight Manual.

SECTION II
Limitations
Not Affected

SECTION III
Emergency And Malfunction Procedures
Not Affected

SCHWEIZER MODEL 269C-1 HELICOPTER
CSP-C1-1B

SECTION IV
Normal Procedures

When the 269A4997-1 RPM limiter (engine overspeed control) is installed, it will help prevent engine overspeed with the clutch disengaged by grounding the magnetos momentarily at approximately 1850 RPM. The limiter will ground the magnetos continuously until the engine speed is reduced. RPM indicator needle fluctuations exceeding 2000 RPM can result when the limiter is activated, which does not require a maintenance inspection. When the clutch switch is in HOLD or ENGAGED position, the limiter is inoperative.

CAUTION

Do not abuse overspeed limiter by starting the engine with the throttle open excessively, or by suddenly advancing the throttle causing the engine to rapidly accelerate through the limiter's range of operation. Such abuse may exceed the limiter's capability to prevent an overspeed condition.

Under no circumstances should the limiter be used as a governor to replace the pilot's responsibility to observe the 1600 RPM limitation. The occasions for limiter actuation are intended to be extremely rare.

SECTION V
Performance Data
Not Affected

SCHWEIZER MODEL 269C-1 HELICOPTER
CSP-C1-1B

SECTION VI
Weight and Balance

At the time of delivery, Schweizer Aircraft Corporation provides each rotorcraft with an original weight and balance report and a list of equipment (equipment both required and optional) installed on the helicopter at the time of licensing. The removal or addition of any equipment can affect the basic empty weight and center of gravity. Any change to the permanently installed equipment or modification which affects weight or moment must be entered in the weight and balance record.

See Table 6-1 for Weight, Arm, and Moment for the Engine Overspeed installations.

Table 6-1

Part Number	Name	Weight (lbs)	Longitudinal	
			Arm (in.)	Moment (in.-lbs)
269A4997-1	Engine Overspeed Control	1.0	54.0	54.0

SECTION VII
Aircraft Handling, Servicing and Maintenance
Not Affected

SECTION VIII
Additional Operations and Performance Data
Not Affected

SCHWEIZER MODEL 269C-1 HELICOPTER
CSP-C1-1B

This page is intentionally left blank.